



GOLDEN SANDS

RESOURCE CONSERVATION & DEVELOPMENT COUNCIL, INC.

1100 Main Street, Suite #150

Stevens Point, WI 54481

Phone (715) 343-6215

www.goldensandsrcd.org

Conservation That Works!

Springville Pond, Portage County Point Intercept Aquatic Plant Survey August 3, 2020

To whom it may concern,

Golden Sands Resource Conservation & Development Council, Inc (RC&D) completed a Point Intercept Aquatic Plant Survey (PI Survey) on Springville Pond on Aug. 3, 2020. The survey was completed by Golden Sands RC&D staff Amy Thorstenson and Selina Walters to collect pre-drawdown data in anticipation of dam repairs in fall 2020. Recent PI surveys have also been completed by UW-Stevens Point in 2007, 2008, 2009, 2010. Some historical comparisons are shown on page 4. Further historical comparisons and milfoil weevil data are found in [this report](#).

Benefits of Aquatic Plants

Aquatic plants are an important part of the state's wet ecosystems. They produce oxygen and help protect water quality. They help clarify water in wetlands, lakes and rivers by using nutrients like phosphorus and nitrogen that might otherwise be used to produce algal blooms. Aquatic plants help reduce wave action and current flow which reduces shoreland erosion and helps stabilize sediments in the waterbody. Perhaps most apparent, plants provide food, shelter and habitat for fish, invertebrates and all sorts of wildlife. Finally, diverse, healthy plant communities can help prevent invasive species from establishing. Invasive species are more likely to become established in disturbed areas.


Aquatic Invasive Species

Aquatic invasive species (AIS) are plants or animals that are not native to a particular area and dominate an area where they are introduced. They can be very successful because they fill a niche that isn't occupied, are able to tolerate a wider range of living conditions, they don't have any natural predators or diseases or perhaps they begin growing earlier. EWM, curly leaf pondweed and purple loosestrife are common examples of AIS. AIS can threaten an area both ecologically and economically. They can disrupt food chains and degrade habitat which negatively impacts fish, invertebrates and wildlife. Nuisance levels of AIS can reduce or even prevent recreational opportunities like fishing, boating, wildlife watching, etc... These reduced recreational opportunities have negative impacts to the local and statewide economy. AIS such as zebra mussels can negatively impact water quality, food chains, aquatic habitat, recreation and industry. Unfortunately the effects of AIS are difficult to foresee since the degree of impact can vary greatly from one place to another. One system may be completely taken over by AIS while AIS in another nearby system may become a part of the community and have little to no negative effects.

Point Intercept Aquatic Plant Surveys

Point intercept (PI) surveys are completed by traveling to predetermined GPS points across the lake. Each PI lake map is based on the area and depth specific to that lake. The maps with GPS coordinates

are obtained through the WDNR. Springville Pond contains 96 sample points. Using a GPS, staff traveled by kayak to each of the GPS points. At each point a two-sided rake was used to sample roughly a one foot area of the lake bottom. Sediment type (sand, rock or muck), water depth in half foot increments and the aquatic plant community was recorded. Once the rake is brought to the surface the amount of plant material on the rake is assessed and recorded. The overall fullness of plants on the rake is rated a one, two or three (see illustration to the left). Then the individual species are ranked using one, two or three. All data is recorded on the PI worksheet. Plants seen within six feet of the sample point are recorded as a “visual”. (Figure 1 shows a map with survey points and EWM and CLP locations.) Other plants seen on the lake are recorded as a “boat survey”. To learn more about PI sampling methods and how data is collected please visit:



<http://www.uwsp.edu/cnr-ap/UWEXLakes/Documents/ecology/Aquatic%20Plants/PL-Protocol-2010.pdf>

Frequency of occurrence is the percentage of time a species is found out of the total number of points sampled. Not all sample points are capable of supporting plant growth. *Littoral frequency of occurrence* is how often a species is found out of the total number of points that support plant growth. (Shown in Table 1) The deepest depth where plant growth is found is called *maximum depth of plant growth*. *Species richness* is the total number of different species found on the rake while sampling points. *Floristic Quality Index (FQI)* is the ranking of the plants in the lake that compares to an undisturbed lake. The higher the FQI the closer the plant community is to that of an undisturbed system. Approximately 250 lakes across Wisconsin are used to calculate the statewide and ecoregion averages for comparison. Table 2 summarizes the lake’s littoral frequency of occurrence, maximum depth of plant growth, species richness and FQI.

It should be noted that plant species may differ from year to year on the following Table 1. GPS coordinates are accurate only within twenty feet and plant communities can shift. Table 1 represents only those species which were detected on the rake during the survey.

Table 1: Species Present

% Littoral frequency of occurrence: This is calculated by taking the total number of times a species is recorded divided by the total number of points in the lake where plant growth is possible.

* means a non-native species, potentially invasive.

Common Name	Scientific Name	Plant type: floating leaf, free floating, submergent, emergent	% Littoral Frequency of Occurrence
Eurasian watermilfoil*	<i>Myriophyllum spicatum*</i>	submergent	16.67
Curly leaf pondweed*	<i>Potamogeton crispus*</i>	submergent	2.08
Coontail	<i>Ceratophyllum demersum</i>	submergent	16.67
Common waterweed	<i>Elodea canadensis</i>	submergent	21.88
Small duckweed	<i>Lemna minor</i>	free floating	9.38
Reed canary grass*	<i>Phalaris arundinacea*</i>	emergent	Visual
Illinois pondweed	<i>Potamogeton illinoensis</i>	submergent	8.33
Small pondweed	<i>Potamogeton pusillus</i>	submergent	1.04
Flat-stem pondweed	<i>Potamogeton zosteriformis</i>	submergent	1.04
White water crowfoot	<i>Ranunculus aquatilis</i>	submergent	2.08

Sago pondweed	<i>Stuckenia pectinata</i>	submergent	8.33
Wild celery	<i>Vallisneria americana</i>	submergent	Visual
Horned pondweed	<i>Zannichellia palustris</i>	submergent	1.04
Filamentous algae	----->	free floating	20.83
Watermeal	<i>Wolffia Sp</i>	free floating	3.12

Table 2: **Lake Survey Summary** (filamentous algae and visuals are not included in species richness)

	Lake	Statewide Average	North Central Hardwoods Forests Ecoregion Average
Littoral Frequency of Occurrence (%)	59.38	74.3	76.0
Maximum Depth of Plant Growth	9.5	15.3	15.9
Species Richness (including visuals)	12	16.8	16.2
Floristic Quality Index (FQI)	15.7	24.1	23.3

Figure 1: **EWM and CLP Sites.** The map below shows locations where EWM and CLP were found on the lake during sampling and observed as visuals.




Table 3: **Comparison of 2020 survey results to historical PI surveys**

	2007 ¹	2008 ¹	2009 ¹	2010 ¹	2020 ²
sites surveyed	83	83	83	83	96
sites w/ vegetation	69	55	67	46	57
Species Richness	5	6	7	8	12
% littoral freq of occurrence					
EWM	66%	57%	63%	28%	17%
Coontail	---	---	---	visual	17%
Elodea	---	---	---	---	22%
Sago PW	36%	20%	30%	13%	8%

-- = not present in survey

visual = observed during survey, but not collected on a sample rake

¹ = Surveyed by UWSP Center for Watershed Science & Education

² = Surveyed by Golden Sands RC&D Council, Inc.

If there are any questions regarding the PI survey or results please contact Golden Sands RC&D, Amy Thorstenson, amy.thorstenson@goldensandsrkd.org (715) 343-6215